8-CHANNEL AUDIO LOGGER

Record up to 8 Radios or Phones on any COTS Windows Server



- 1. Attach the logger to any military U-229 analog audio source radios or phones.
- 2. Attach a USB cable to a PC or Server.
- 3. Load the CD, adjust levels, and you're recording!

You'll have complete recordings of every call on up to 8 lines. Sort, access, email, and retrieve recordings from any PC on the network. Monitor live calls securely in real-time. Locate recordings instantly using time and date, Caller-ID, numbers dialed, DID extension, or DTMF signaling.

Everything you need to record is included, even the USB cable. Just add a COTS Windows PC, and you're up and running.

Tech Specs:

Input Level	40dBm to +10dBm peak level
Audio Connector	.U-183/U
Power	.90-130V 9.1W (Standard stock)
	28VDC, -48, 220VAC
	Specify when ordering.
Recording Trigger	.VOX, Hook Voltage, Complex,
	Continuous, Timed, Sampled
CODECs	True telecom G.711 with brick-
	wall switched capacitor filters
Impedance	.>10K DC Blocked Input
Devices Per Server.	.2 maximum
Dimensions	.7x3.5x19 "2-U" RETMA Rack
Weight	.11.1lbs, 28lbs shipping wt.
Warranty	.6 year standard
Part No	.8M-110 (90-130VAC)
Country of Origin	.U.S.A.

Applicable laws must be observed when recording.

© 2004-2020 DLI. US patent 6,122,239, additional pending.

All trademarks property of their respective owners.

- Records from SINCGARS, Falcon, miltary phones, outside phone lines, analog extensions or microphones in perfect digital quality.
- Mixes transmit and receive audio with variable gain for balanced recording of radio and phone traffic.
- Installs with a quick, simple connection between the phones and a COTS server. Existing equipment is unaffected. No PBX programming or alteration is required.
- Recordings are individually time and date stamped for easy recall and access via LAN or WAN.
- Caller ID and touch tones are decoded for easy search and recall of telecom traffic.
- Recording quality and format supports third party speech-to-text and keyword-spotting applications.
- Calls from each line and day are organized in separate directories for quick access. Every recording includes a digital signature with time and date stamps for traceability.
- Automatic disk space management saves room for vital recordings..
 Old recordings can be archived or automatically deleted to conserve disk space.
- On-screen level meters show activity on all channels.
- Calls are recorded in standard .wav VoIP compatible (u-law G.711) format for playback on any PC, Mac, Ipaq, Blackberry or VoIP device.. No proprietary playback software is required.
- Real Time Player software provides instant recall and live monitoring of any channel from remote network workstations.
- USB plug-and-play operation supports COTS and military builds of Windows 10, W7, 2008, 2003, XP, or .NET.
 W2000/ Vista are no longer supported.




INCLUDED SOFTWARE

Set up and Configuration Wizard

An easy-to-use windows setup utility makes intial setup and field reconfiguration a breeze.


Get it right the first time, even with little or no telecom experience.



Recording Manager

The main logging application gives you a real-time display of incoming recordings.

Calls are neatly organized in daily directories. Disk space is automatically managed. One click leads you directly to the recordings for that line.




Evidence Builder Call Analyzer


Evidence Builder Software is a powerful program used to locate and analyze recordings in a spreadsheet format.

Use it to analyze incoming calls, create lists, sort calls, and search by radio, time, date, line, or DTMF and DID, number dialed for phone calls.

Quickly locate recordings on a local workstation or server. Copy, email, or transfer calls to an audio editor.



Live Remote Monitoring



Local or remote users can be assigned access priviledges to allow remote interception and live monitoring of calls.

Monitor locally via LAN or world-wide via secure WAN.

PBX Call Detail Recorder

Get detailed reports on every call, even internal calls from one PBX extension to another. Capture all the call detail information provided from your PBX serial port. Document calls between extensions.

ANI, ALI, or SMDR data streams are logged using our call detail recording utility. This program logs all serial data from up to 8 PBX or modem ports simultaneously.

